JOURNAL OF MOLECULAR STRUCTURE, VOLUME 221 (1990)

AUTHOR INDEX

Adamowicz, L., 209
Amato, M.E., 219
Anderson, D.G., 45
Ando, I., 289
Argay, Gy., 271

Beagley, B., 15
Bencivenni, L., 169
Birey, M., 283
Blake, A.J., 25
Bock, C.W., 159
Bruwo, M., 271
Butayev, B.S., 149

Castera, P., 239, 245
Çelik, F., 283
Chen, X.-M., 265
Chun, H.A., 127
Curé, J., 219

Davis, M.J., 25
De Kowalewski, D.G., 299
De Los Santos, C., 299

El Bakili, A., 239
Elkin, A.A., 309
Enjalbert, R., 253

Faksness, L.G., 103
Faucher, J.-P., 245
Forsyth, G.A., 45
Fukushi, K., 141

Galy, J., 253
Gershikov, A.G., 57, 79
Goodman, L., 1
Graffeuil, M., 245
Grech, E., 227

Harmon, K.M., 189
Huang, H.M., 115

Iijima, K., 315
Iijima, T., 7
Ikawa, S.-I., 141

Kálmán, A., 271
Keefer, P.K., 189
Kim, K., 127
Kim, M.S., 127
Köksal, F., 283
Kol'tsov, A.I., 309
Konaka, S., 141
Kuhajda, K., 271
Kunttu, H., 195

Labarre, J.-F., 239, 245, 253
Lam, Y.L., 115
Leberle, K., 175
Leś, A., 209
Lis, T., 227
Lumbroso, H., 219
Lund, A., 95
Luppi, J., 195
Lyutsarev, V.S., 57, 79, 149

Majewska, K., 227
Mak, T.C.W., 265
Malarski, Z., 227
Miljković, D., 271
Misu, T., 315

Nowicka-Scheibe, J., 227

Onuma, S., 315
Ori, O., 271

Pajunen, P., 195
Panchenko, Y.N., 159
Pappalardo, L.M., 189
Philis, J.G., 1

Raaska, T., 195
Ramondo, F., 169
Rankin, D.W.H., 25, 45
Räsänen, M., 195
Rospenk, M., 109

Saakyan, A.S., 149
Sakamaki, S., 289
Scarlata, G., 219
Schmidling, D., 15
Scott, N.G., 15
Sournies, F., 239, 245, 253
Spiridonov, V.P., 57, 79, 149
Stankovic, S., 271
Stølevik, R., 95, 103
Suzuki, H., 141

Tan, B.G., 115
Tapramaz, R., 283
Tuzi, S., 289

Vicković, I., 271

Wada, R.-I., 7

Zheglova, D.Kh., 309
Zundel, G., 175

JOURNAL OF MOLECULAR STRUCTURE, VOLUME 221 (1990)

SUBJECT INDEX

Acetylcholine iodide and bromide,
Electron spin resonance of gamma irradiated single crystals of acetylcholine iodide and bromide, 283
Acid halides,
Conformational structures, energies, rotational barrier heights and torsional force constants in the acid halides XH_2C-CYO and X_2HC-CYO (Y = F,Cl, Br and X = Cl, Br), 95
Alanine residues,
The structure and mobility of L-alanine residues of tropomyosin in the solid state as studied by high resolution solid state ^{13}C NMR spectroscopy, 289

Benzene,
A novel 1:1 canal inclusion network formed by deoxycholic acid dimers (bislactones) with benzene molecules: an X-ray study, 271
Biological membranes,
Hydrogen bonds with large proton polarizability in films of $(L\text{-his})_n$ and $(L\text{-lys})_n$ with a model molecule of the head group of phosphatidylserine: proton conduction in polar surfaces of biological membranes, 175
1,8-Bis(dimethylamino)naphthalene,
$[N\text{-}H\cdots N]^+$ and $[N\text{-}H\cdots N]^-$ intramolecular hydrogen bonds in the complex of 1,8-bis(dimethylamino)naphthalene with 1,8-bis(4-toluenesulphonamide)-2,4,5,7-tetranitronaphthalene, 227
1,8-Bis(4-toluenesulphonamido)-2,4,5,7-tetranitronaphthalene,
$[N\text{-}H\cdots N]^+$ and $[N\text{-}H\cdots N]^-$ intramolecular hydrogen bonds in the complex of 1,8-bis(dimethylamino)naphthalene with 1,8-bis(4-toluenesulphonamide)-2,4,5,7-tetranitronaphthalene, 227
Bis(dimethylamino)tin(II), $Sn(NMe_2)_2$,
The gas-phase molecular structures of monomeric and dimeric bis(dimethylamino)tin(II), $Sn(NMe_2)_2$. An electron diffraction study, 15
Bis(pyridine betaine)hydrochloride monohydrate,
Crystal structure of bis(pyridine betaine) hydrochloride monohydrate, 265
Bis(trimethylsilyl)sulphide,
Determination of the gas-phase molecular structure of bis(trimethyl)sulphide by electron diffraction and molecular mechanics calculations, 45

trans-Cinnamonitrile,
Adsorption and reaction of *trans*-cinnamonitrile on a silver surface investigated by Raman spectroscopy, 127
Cyclophosphazenes,
An answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part XIV. The first MACRO-BINO and MEGA-BINO species from oxodiamines, 239
An answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part XV. The first MACRO-diBINO and MEGA-diBINO non-geminal species from oxodiamines, 245

Deoxycholic acid dimers,
A novel 1:1 canal inclusion network formed by deoxycholic acid dimers (bislactones) with benzene molecules: an X-ray study, 271
Diallyl disulphide,
Vibrational specta and conformation of diallyl disulphide in the liquid state, 141
Diarylacrylonitriles,
A dipole moment study of (*Z*)-α,β-diarylacrylonitriles, 219
Dicyclophosphazene,
Crystal and molecular structure of the first DIBINO non-geminal macrocyclic dicy-

clophosphazene $\{N_3P_3Cl_4[HN-(CH_2)_3-O-(CH_2)_2-O-(CH_2)_3-NH]\}_2$, 253
Dimethylbuta-1,3-diene,
Ab initio vibrational analysis of *trans*- and *gauche*-2,3-dimethylbuta-1,3-diene, 159

Enol-enol,
^{13}C NMR spectra and enol-enol tautomerism in crystalline keto-enols, 309

Fluoride ion,
Hydrogen bonding. Part 32. Strong hydrogen bonding as the driving force for the solubilization of phthalic acid by fluoride ion, 189

Interconversion processes,
Vibration levels connected with reaction coordinate in conformer interconversion processes: application of the phase integral method to torsional energy levels, 195

Keto-enols,
^{13}C NMR spectra and enol-enol tautomerism in crystalline keto-enols, 309

Li_2CO_3,
Molecular geometry and frequencies of vibration of the molecule Li_2CO_3, 169

2-Methyl-1,2-dinitropropane,
Rotational isomerism in 2-methyl-1,2-dinitropropane, 115
Methylcytosine,
Which tautomeric form of 5-methylcytosine predominates in vacuum?, 209
Methylpropanol,
Torsional potentials in halogen derivatives of 2-methylpropanal obtained by molecular mechanics calculations, 103
Morse-like potential model,
The Morse-like potential model accounting for a stretch-bend interaction in linear XYZ molecules, 149

Oxodiamines,
An answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part XIV. The first MACRO-BINO and MEGA-BINO species from oxodiamines, 239
An answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part XV. The first MACRO-diBINO and MEGA-diBINO non-geminal species from oxodiamines, 245

$(PF_2)OCH_2C{=}CCH_2O\ (PF_2)$,
Instant ligands. Part 5. The molecular structures of $(PF_2)OCH_2C{=}CCH_2O\ (PF_2)$ in the gas phase and $PF_2OCH_2CH_2CN$ in gaseous and crystalline phases, 25
$PF_2OCH_2CH_2CN$,
Instant ligands. Part 5. The molecular structures of $(PF_2)OCH_2C{=}CCH_2O\ (PF_2)$ in the gas phase and $PF_2OCH_2CH_2CN$ in gaseous and crystalline phases, 25
Phase integral method,
Vibrational levels connected with reaction coordinate in conformer interconversion processes: application of the phase integral method to torsional energy levels, 195
Phosphatidylserine,
Hydrogen bonds with large proton polarizability in films of $(\text{L-his})_n$ and $(\text{L-lys})_n$ with a model molecule of the head group of phosphatidylserine: proton conduction in polar surfaces of biological membranes, 175
Phthalic acid,
Hydrogen bonding. Part. 32. Strong hydrogen bonding as the driving force for the solubilization of phthalic acid by fluoride ion, 189
Proton-transfer equilibrium,
The influence of steric effects on proton-transfer equilibrium in intramolecular hydrogen bonds, 109
Pyridines,
^1H and ^{13}C NMR study of substituted 3-OH pyridines, 299

Scattering function,
Electron diffraction analysis of XY_2 and XY_3 molecules with large amplitude motion. Part I. Dynamical model and molecular scattering function, 57

Toluene derivatives,
Torsional vibrationals in two-photon res-

onance spectroscopy of toluene derivatives, 1
1,1,1-Trichloroethane,
Molecular structure of 1,1,1-trichloroethane, 7
Tropomysin,
The structure and mobility of L-alanine residues of tropomyosin in the solid state as studied by high resolution solid state ^{13}C NMR spectroscopy, 289

Xanthene,
Molecular structure of gaseous xanthene by electron diffraction, 315

XY_2 and XY_3 molecules,
Electron diffraction analysis of XY_2 and XY_3 molecules with large amplitude motion. Part I. Dynamical model and molecular scattering function, 57
Electron diffraction analysis of XY_2 and XY_3 molecules with large amplitude motion. Part II. Survey of experimental studies, 79
XYZ molecules,
The Morse-like potential model accounting for a stretch–bend interaction in linear XYZ molecules, 149